








Memory module for the parameterization of SIMOCODE pro S/V without PC/PG, Color: titanium gray

General technical data

product designation	memory module
ambient temperature	
<ul style="list-style-type: none"> during storage during operation during transport 	<p>-40 ... +80 °C</p> <p>-25 ... +60 °C</p> <p>-40 ... +80 °C</p>

Certificates/ approvals

General Product Approval	EMC	Declaration of Conformity	Test Certificates	Marine / Shipping
				
			Type Test Certificates/Test Report	

Marine / Shipping other

	Confirmation	
---	------------------------------	---

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/ic10>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7901-0AA01-0>
- Cax online generator
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF7901-0AA01-0>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3UF7901-0AA01-0>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/blddb/cax_de.aspx?mlfb=3UF7901-0AA01-0&lang=en

