















SENTRON, cylindrical fuse link, Class CC, 4 A, time-lag, current-limiting, Un AC: 600 V, respect national installation rules! for protection of motor-circuits

Model							
product brand name	SENTRON						
product designation	Cylindrical fuse link						
General technical data							
operating class of the fuse link	Slow, current limiting						
size of the fuse link	Class CC						
type of voltage / of the operating voltage	AC						
operating voltage / at AC / rated value	600 V						
operational current / at AC / rated value	4 A						
Main circuit							
operational current / rated value	4 A						
Product details							
product component / striker	No						
Mechanical Design							
mounting position	Any, preferably vertical						
net weight	8 g						
General Product Approval							
<table border="1"> <thead> <tr> <th>Declaration of Conformity</th> <th>other</th> </tr> </thead> <tbody> <tr> <td>     </td> <td> UK Declaration of Conformity </td> </tr> <tr> <td></td> <td> Miscellaneous </td> </tr> </tbody> </table>		Declaration of Conformity	other	   	UK Declaration of Conformity		Miscellaneous
Declaration of Conformity	other						
   	UK Declaration of Conformity						
	Miscellaneous						

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW3040-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW3040-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW3040-0HG

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

