

Pin busbar, 16 mm² connection: 6x 2-phase according to UL 489, 480Y/277V for LS 5SJ4...-HG




Figure similar

| Model | | |
|---------------------------------|-----------------------------------|--------------|
| product brand name | SENTRON | |
| product designation | Pin busbar | |
| design of the product | 16 mm ² , 6x2PH, UL489 | |
| General technical data | | |
| phase number | 2 | |
| cross-section | 16 mm ² | |
| Product details | | |
| product feature / insulated | Yes | |
| Connections | | |
| type of electrical connection | Pin | |
| Mechanical Design | | |
| width | 15 mm | |
| length | 205 mm | |
| net weight | 134.31 g | |
| General Product Approval | Declaration of Conformity | other |



[Miscellaneous](#)



[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3664-1HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3664-1HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3664-1HG

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

