

Pin busbar 2-phase, 1016 mm long touch-safe, 18 mm<sup>2</sup> without end caps, according to UL 508




Figure similar

Model			
product brand name	SENTRON		
product designation	Pin busbar		
design of the product	18 mm <sup>2</sup> , 2PH UL508		
General technical data			
phase number	2		
cross-section	18 mm <sup>2</sup>		
Product details			
product feature / insulated	Yes		
Connections			
type of electrical connection	Pin		
Mechanical Design			
width	21 mm		
length	1 000 mm		
net weight	638.35 g		
General Product Approval		Declaration of Conformity	other



[Miscellaneous](#)



[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3705-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3705-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3705-0HG](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3705-0HG)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



I202\_02124

